

Comeback[®]

Compressed Air System

先进的压缩空气管道系统

Comeback[®]

宁波来回转自动化工业有限公司

Ningbo Comeback Automatic Industrial Co.,Ltd

地址：中国浙江宁波海曙横街


Add：HengJie Haishu Ningbo Zhejiang China


电话Tel：0086 574 88260391

传真Fax：0086 574 88260390

网址Website：www.comebacknb.com

邮箱Email：info@comebacknb.com






关于我们

- Comeback —— 十年如一日，专注高品质！您身边的压缩空气管道与气动专家！
- Comeback —— 集研发、设计、生产、销售、外贸出口为一体的自动化工业国际化企业。
- Comeback —— 专业的压缩空气快速管道接头是目前国际上先进的连接方式，荣获多项专利科研技术。
- Comeback —— 快速管道接头材质轻盈环保，密封性能高，抗寒耐热防腐蚀，快速安装，可重复使用、节能环保。
- Comeback k—— 拥有卓越的欧洲研发团队与先进的技术力量。
- Comeback —— 超强大的销售网络，拥有200多个海外客户。800多个国内客户。
- Comeback —— 以减少工业浪费，爱护环境、回报社会、关爱员工等社会责任为己任，心怀报国梦想,为企业、为客户、为社会贡献一份力量！
- Comeback —— 期待您的加入！

About us

- Comeback is one of largest pneumatic company for Design, Production, Sales, After sales ,All of with perfect work-team!
- Comeback products have always high quality with reasonable price!
- Comeback compressed air system with advanced European and American technology for the pipes and fittings: 1.The pipes use ALUMINUM material,this will not rust inside of aluminum pipe.Pipes inside will keep air clean. 2.Easy for installation...so many advantages!
- Comeback has already got more than 25 patents for products structures and designs!
- Comeback assure you excellent quality!
- Comeback hopes both each other win-win!
- Comeback keeps thinking how to work with you better and better!



装配车间 Assembly Workshop

Compressed Air System
先进的压缩空气管道系统



注塑车间 Injection workshop

公司积极引进国内外先进的制造工艺、技术和设备，领先行业的集中供料系统、模温控制系列、注塑管理系统，工序专业化，并具备严密的制程质量控制。


The company actively introduce the most advanced manufacturing processes,technology Technique and equipment,industry-leading centralized feed systems,mold Temperature control system,injection management systems,process specialization, And have a strict quality control process.



Comeback 管路系统的优势 Why you choose Comeback

快速安装、无需焊接、立即加压、最佳密封性、耐腐蚀、防燃、防紫外线、可拆卸、可重复使用；重量轻，美观、良好的抗冲击性。

Easy and fast installation、No welding、Reduced pressure drop、Corrosion resistance、Fire-resistance、UV-resistance；Reusable、light-weight,beauty、Good shock resistance；



● 接头信息/Fittings info

材质Material	尼龙 PA-6
密封圈Seal	丁晴橡胶: NBR
卡箍Gripping	不锈钢:Stainless Steel
最高工作压力Max Working Pressure	13公斤: 13 BAR
工作温度Temperatura	-20℃~+70℃

● 铝管信息/Aluminum pipe info

材料Material	AW6060-T6
处理方法Treatment	铬酸盐钝化处理Chromatizing
喷漆Paint	静电喷涂Electrostatic Painting
管长Tube length	3米、6米3M-6M
最高工作压 Max Working Pressure	13公斤13 BAR
工作温度Temperatura	-20℃~+70℃

● 铝管特性：

干净空气、优化流量表现、体重轻、涂漆工业蓝色、适合的流体：压缩空气、真空、氮气、氩气、水 Use:Compressed Air Water/Vacuum/Inert Gases

● 规格 Specification


产品图片 Picture	产品名称 Prdduct Name	型号 Code	尺寸 Size(mm)	长度 Lenth(m)
	铝管 (3M) Aluminium Pipes	LG201703	20*17	3M
		LG252203	25*22	3M
		LG322903	32*29	3M
		LG403703	40*37	3M
		LG504603	50*46	3M
		LG635903	63*59	3M
		LG767203	76*72	3M
		LG807503	80*75	3M
		LG1009503	100*95	3M
		LG201706	20*17	6M
	铝管 (6M) Aluminium Pipes	LG252206	25*22	6M
		LG322906	32*29	6M
		LG403706	40*37	6M
		LG504606	50*46	6M
		LG635906	63*59	6M
		LG767206	76*72	6M
		LG807506	80*75	6M
		LG1009506	100*95	6M
	180° 弯管 Aluminium Pipes	WG201701	20*17*145	145mm(wide)
		WG252201	25*22*145	145mm(wide)
		WG252202	25*22*160	160mm(wide)
	软管 Flexible Tube	RG012070	G1/2*700	0.7M
		RG034070	G3/4*700	0.7M
		RG001070	G1*700	0.7M
		RG114070	G1-1/4*700	0.7M
		RG002070	G2*700	0.7M
		RG012150	G1/2*150	1.5M
		RG034150	G3/4*1500	1.5M
		RG001150	G1*1500	1.5M
		RG114150	G1-1/4*1500	1.5M
		RG002150	G2*1500	1.5M
		FL501120	DN50-G11/2	1M
		FL651120	DN65-G11/2	1M
		FL801120	DN80-G2	1M
		WN121200	G1/2*G1/2	1M
		WN343400	G3/4*G3/4	1M
	不锈钢软管法兰款 SS Tube Flange	WN010100	G1*G1	1M
		WN114114	G11/4*G11/4	1M
		WN112112	G11/2*G11/2	1M
		WN020200	G2*G2	1M
		WN020200	G2*G2	1M

产品图片 Picture	产品名称 Prdduct Name	型号 Code	尺寸 Size(mm)	长 Long(cm)	宽 Width(cm)	高 Height(cm)	插管长度 Push size(cm)	重量 Weight(g)
	相等直通 Equal Union	XD202000	20*20	9	5	5	4.5	59
		XD252500	25*25	10	6	6	4.9	101
		XD323200	32*32	12	7	7	5.5	161
		XD404000	40*40	14	8	8	6.4	217
		XD505000	50*50	16	9	9	8	432
		XD636300	63*63	19	11	11	9	460
	异直通 Reducing Union	YT252000	25*20	10	6	6	4.9*4.5	82
		YT322000	32*20	18	7	7	5.5*4.5	142
		YT322500	32*25	11	7	7	5.5*4.7	133
		YT402000	40*20	19	8	8	6.3*4.5	265
		YT402500	40*25	20	8	8	6.3*4.7	285
		YT403200	40*32	13	8	8	6.3*5.5	206
		YT502000	50*20	21	9	9	8*4.5	438
		YT502500	50*25	22	9	9	8*4.7	459
		YT503200	50*32	23	9	9	8*5.5	491
		YT504000	50*40	16	9	9	8*6.4	582
		YT632000	63*20	18	10	10	9*4.5	665
		YT632500	63*25	19	11	11	9*4.9	685
		YT633200	63*32	21	11	11	9*5.5	752
		YT634000	63*40	21	11	11	9*6.4	509
		YT635000	63*50	25	11	11	9*8	639
	90° 弯通 90° Equal Elbow	WT202000	20*20	9	5	7	4.5	62
		WT252500	25*25	11	6	8	4.9	113
		WT323200	32*32	14	7	10	5.5	189
		WT404000	40*40	16	8	12	6.4	257
		WT505000	50*50	16	9	14	8	513
		WT636300	63*63	23	11	17	9	867
	45° 弯通 45° Equal Elbow	XT202000	20*20	9.2	6.65	4.4	4.5	65
		XT252500	25*25	11.4	8	5.2	4.9	106
		XT323200	32*32	13.5	9.4	6.2	5.5	173
		XT404000	40*40	15	10.9	7.2	6.4	233
		XT505000	50*50	18.2	13.1	8.6	8	458
		XT636300	63*63	21.5	15.7	10.5	9	768
	相等三通 Equal Tee	ST202020	20*20*20	12	5	9	4.5	91
		ST252525	25*25*25	14	6	10	4.9	163
		ST323232	32*32*32	16	7	12	5.5	270
		ST404040	40*40*40	18	8	13	6.5	368
		ST505050	50*50*50	23	9	17	8	745
		ST636363	63*63*63	27	11	20	9	1248
	两外一内 Female tee	NS251225	25*1/2*25	14	6	8	5	139
		NS323432	32*3/4*32	16	7	9	5.5	231
		NS400140	40*1*40	18	8	11	6.5	305
		NS5011250	50*11/2*50	23	9	15	8	577
		NS630263	63*2*63	27	11	15	9	1055

产品图片 Picture	产品名称 Prdduct Name	型号 Code	尺寸 Size(mm)	长 Long(cm)	宽 Width(cm)	高 Height(cm)	插管长度 Push size(cm)	重量 Weight(g)
	公直通 Male Straight	GT201200	20*1/2	6	5	5	4.5	37
		GT203400	20*3/4	6	5	5	4.5	34
		GT200100	20*1	6	5	5	4.5	39
		GT251200	25*1/2	7	6	6	4.7	56
		GT253400	25*3/4	7	6	6	4.7	59
		GT250100	25*1	7	6	6	4.7	60
		GT320100	32*1	9	7	7	5.5	97
		GT400100	40*1	9	8	8	6.6	130
		GT501120	50*1 1/2	11	9	9	8	248
		GT500200	50*2	11	9	9	8	256
	内直通 Female Straight	NT201200	20*1/2	7	5	5	4.5	38
		NT253400	25*3/4	8	6	6	4.9	64
		NT320100	32*1	9	7	7	5.5	101
		NT401140	40*1 1/4	10	8	8	6.5	137
		NT501120	50*1 1/2	11	9	9	8	253
		NT630200	63*2	13	11	11	9	413
	堵头 End Cap	DT200000	D20	7	5	5	6	40
		DT250000	D25	8	6	6	6.5	66
		DT320000	D32	9	7	7	7.8	105
		DT400000	D40	10	8	8	8.7	144
		DT500000	D50	10	9	9	9	269
		DT630000	D63	10	11	11	9	390
	异三通 Reducing Tee	YS252025	25*20*25	14	6	12	4.9*4.5*4.9	185
		YS322032	32*20*32	16	7	14	5.5*4.5*5.5	276
		YS322532	32*25*32	16	7	15	5.5*4.9*5.5	300
		YS402040	40*20*40	19	8	16	6.5*4.5*6.5	360
		YS402540	40*25*40	19	8	17	6.5*4.9*6.5	380
		YS403240	40*32*40	19	8	18	6.5*5.5*6.5	409
		YS502050	50*20*50	23	9	17	8*4.5*8	754
		YS502550	50*25*50	23	9	18	8*4.9*8	774
		YS503250	50*32*50	23	9	19	8*5.5*8	800
		YS504050	50*40*50	23	9	20	8*6.5*8	840
		YS632063	63*20*63	27	11	21	9*4.5*9	1285
		YS632563	63*25*63	27	11	22	9*4.9*9	1315
		YS633263	63*32*63	27	11	24	9*5.5*9	1347
		YS634063	63*40*63	27	11	27	9*6.5*9	1380
		YS635063	63*50*63	27	11	29	9*8*9	1313
	快插球阀 Control OFF-ON By ball Valve	QF201220	D20*G1/2	14	5	10	/	300
		QF203420	D20*G3/4	14	5	10	/	356
		QF200120	D20*G1	14	5	10	/	457
		QF251225	D25*G1/2	17	6	12	/	327
		QF253425	D25*G3/4	17	6	12	/	450
		QF250125	D25*G1	17	6	12	/	460
		QF320132	D32*G1	22	7	15	/	683
		QF400140	D40*G1	23	8	16	/	742
		QF501120	D50*1 1/2	25	9	20	/	1365
		QF500200	D50*G2	25	9	20	/	1817
		QF630263	D63*G2	30	11	23	/	2077

产品图片 Picture	产品名称 Prdduct Name	型号 Code	尺寸 Size(mm)	重量 Weight(g)
	不锈钢球阀 Stainless steel ball valve	SF010200	G1/2	226
		SF030400	G3/4	287
		SF010000	G1	378
		SF011200	G1 1/2	868
		SF020000	G2	1304
	打孔接头1进1出 Take Off Coupling	DK251200	D.25*G1/2	175
		DK321200	D.32*G1/2	197
		DK400100	D.40*G1	242
		DK630100	D.63*G1	310
	打孔接头1进2出 Bsp Twin Take OFF Coupling	DK501212	D.50*G1/2*G1/2	190
	接头板1进2出 Terminal Block	JT121212	G1/2,2*G1/2	146
	单通 Metal Connect	JSDT0100	G1/2	124
	全外丝二通 Metal Connect (Male thread)	JSWE0200	G1/2	179
	全外丝三通 Metal Connect (Male thread)	JSWS0300	G1/2	258



产品图片 Picture	产品名称 Prdduct Name	型号 Code	尺寸 Size(mm)
	金属卡扣(悬挂) Collar(Hang)	XK200000	D.20
		XK250000	D.25
		XK320000	D.32
		XK400000	D.40
		XK500000	D.50
		XK630000	D.63
	金属卡扣(靠墙) Collar(Wall)	JK200000	D.20
		JK250000	D.25
		JK320000	D.32
		JK400000	D.40
		JK500000	D.50
		JK630000	D.63
	万向抱箍 Collar	BG200000	D.20
		BG250000	D.25
		BG320000	D.32
		BG400000	D.40
		BG500000	D.50
		BG630000	D.63
	不锈钢转换接头 Adapter Substiute	GZ020100	2*1
		GZ023400	2*3/4
		GZ112100	11/2*1
		Gz013400	1*3/4
	补芯 Adapter Substiute	LM201000	2*1"
		LM211200	2*1 1/2
		LM112100	1 1/2*1"
		LM013400	1*3/4
		LM114100	1 1/4*1"
		LM341200	3/4*1/2
		LM121400	1/2*1/4
		TZ013400	1*3/4
	对丝接头 Adapter Substiute	TZ341200	3/4*1/2
		TZ121400	1/2*1/4
		TZ341400	3/4*1/4

产品图片 Picture	产品名称 Prdduct Name	型号 Code	尺寸 Size(mm)
	悬挂丝杆 Plated Iron Studding	SG010800	1M*M8
	丝杆膨胀 Setscrew	PZ010800	M8
	膨胀螺丝整套 Setscrew	PZ020800	M8
	角钢 Angle Iron	JG010000	1M
	钢丝绳 Wire rope	GS010200	1M*D.2mm
	钢丝绳夹头 Retainer Clip	GJ020000	D.2mm
	方形梁夹 Clamp	HY010800	M8
	梁夹Clamp	HY020800	M8


产品图片 Picture	产品名称 Prdduct Name	型号 Code	尺寸 Size(mm)
	气动卷管器 Hose Reels	QG0805-10M	8×5×10M
		QG1065-10M	10×6.5×10M
		QG1208-10M	12×8×10M
		QG14510-10M	14.5×10×10M

产品图片 Picture	产品名称 Prdduct Name	型号 Code	尺寸 Size(mm)
	安装工具 Tools	GJ202000	D.20
		GJ252500	D.25
		GJ323200	D.32
		GJ404000	D.40
		GJ505000	D.50
		GJ636300	D.63
	切管器 Tube Cutter	QG206300	D20-D63
	倒角器 Deburring Tool	DJ022050	D20-D50
	倒角刀 Deburring Tool	DJ020000	/
	Sample kits	SK402520	/

Comeback安装小贴士/TECHINICAL OF INSTALLATION



Comeback 铝管修毛刺，以免割伤密封圈。 ▲





铝管口径与接头内径处涂润滑油
使您的安装更轻松。



检查管子正确的放置在接头里 ▲

没有把管子插到位 ▲

Comeback 安装小贴士/TECHINICAL OF INSTALLATION



Comeback 接头200MM处需用卡扣固定好! ▲

案例：雅戈尔 Youngor Workshop.....

